

ADAM PW ANALYTICAL BALANCES

Features:

Metal casing	Multilingual display	Weighing
Force restoration mechanism	Net/Total	Averaging
RS-232 bi-directional interface	Accessories interface	Date & Time
Security locking point	Density determination	GLP print outs
Animal/Dynamic weighing	Percentage weighing	Parts counting
Below balance weighing	Colour coded keys	Check weighing
Backlit LCD with dual display	Internal calibration	Capacity Tracker
Weight accumulation	Up to 16 weighing units (inc. one custom unit)	

Technical Specifications:

Model	PW 124	PW 184	PW 254
Capacity	120g	180g	250g
Readability	0.0001g	0.0001g	0.0001g
Repeatability (S.D.)	0.0001g	0.0001g	0.0001g
Linearity (+/-)	0.0002g	0.0002g	0.0002g
Pan Size	90mm Ø		

General Specifications:

Units of measurement	Gram (g), Milligram (mg), Carat (ct), Ounce (Oz), Dram (d), Grain (GN), Troy Ounce (Ozt), Pennyweight (dWt), Momme (MM), Taels Hk. (TL.H) Taels S. (TL.S), Taels T. (TL.T), Tical (ti), Newton (N), Tola (T), Custom unit
Interface	Bi-directional RS-232 (Standard)
Operating temperature	10°C – 40°C
Power supply	15 VDC, 50/60 Hz, 800mA (input Voltage 100-240V, 50/60 Hz)
Calibration	Calibration with internal mass. Alternatively the user can choose to calibrate using an external mass.
Display	Backlit LCD with dual digits (24mm high) and capacity tracker
Draught shield	Supplied as standard (factory fitted)
Draught shield dimensions	202 x 524 x 275mm
Housing	Die cast aluminium housing with glass weighing chamber
Overall dimensions (wxdxh)	256 x 524 x 275mm
Net weight	12kg

Contact us for further information and specifications



Unit 39 Golds Nursery Business Park, Jenkins Drive, Elsenham, Herts. CM22 6JX.

Tel: 00 44 (0) 1279 817171 Fax: 00 44 (0) 1279 815743

Website: www.rdmtest.com E-mail: info@rdmtest.com

All sizes and dimensions shown on this data sheet are averages only and images are accurate as the medium allows. Products and details shown may change without notice as RDM Test Equipment Limited reserves the right to make alterations to this product range from time to time. Copyright © RDM Test Equipment Limited. All Rights Reserved.